

UTILITY PATENT APPLICATION TRANSMITTAL

Attorney Docket No. 50277-0378

(New Nonprovisional Applications Under 37 CFR § 1.53(b)



TO THE COMMISSIONER FOR PATENTS:

Transmitted herewith is the patent application of () application identifier or (X) first named inventor, Vikram Joshi, et al., entitled METHOD AND APPARATUS FOR DEBUGGING A SOFTWARE PROGRAM USING DYNAMIC DEBUG PATHCES AND COPY ON WRITE VIEWS , for a(n):

(X)	Original	Patent Application.				
()	()	ing Application (prior application not abandoned): Continuation () Divisional () Continuation-in-part (CIP) of prior application No: Filed on: A statement claiming priority under 35 USC § 120 has been added to the specification.				
Enclo	osed are:					
	(X)	Specification 26 Total Pages; (X) Drawing(s) 3 Total Sheets; (X) Cover Sheet 1 Page				
	(X)	Oath or Declaration: 3 Pages				
		(X) A Newly Executed Combined Declaration and Power of Attorney:				
•		(X) Signed. () Unsigned. () Partially Signed.				
	() A Copy from a Prior Application for Continuation/Divisional (37 CFR § 1.63(d)).					
	() Incorporation by Reference. The entire disclosure of the prior application, from which a copy of the					
•		oath or declaration is supplied, is considered as being part of the disclosure of the accompanying				
		application and is hereby incorporated herein by reference.				
		() Signed Statement Deleting Inventor(s) Named in the Prior Application. (37 CFR § 163(d)(2)).				
	(X)	Power of Attorney (2 pgs) (X) Return Receipt Postcard.				
	()	Associate Power of Attorney. () A Check in the amount of \$for the Filing Fee.				
	()	Preliminary Amendment. () Information Disclosure Statement and Form PTO-1449.				
	(X)	A Duplicate Copy of this Form for Processing Fee Against Deposit Account.				
	()					
	()	Applicant claims small entity status. See 37 CFR 1.27.				
	()	Statement(s) of Status as a Small Entity Filed in Prior Application, Status Still Proper and Desired.				
	(X)	Other: Assignment Recordation Cover Sheet and executed Assignment (5 pgs)				

		CLAIMS AS FILED		
FOR	NO. FILED	NO. EXTRA	RATE	FEE
Total Claims	16	0	\$18.00	\$ 0.00
Independent Claims 2 0 \$80.00				\$ 0.00
Multiple Dependent Claims (if applicable)				
Assignment Recording Fee \$40.00				\$40.00
Băsic Filing Fee \$710.00				\$710.00
			Total Filing Fee	\$750.00

Charge \$\frac{750.00}{} to Oracle Deposit Account \frac{150635}{} pursuant to 37 CFR \{ 1.25. At any time during the pendency of this application, please charge any fees required or credit any overpayment to the Oracle Deposit Account.

Respectfully submitted,

Carina M. Tan, Reg. No. 45,769

Date: November 20, 2000

Correspondence Address:

Hickman Palermo Truong & Becker, LLP 1600 Willow Street San Jose, California 95125-5106

Telephone: (408) 414-1080 Facsimile: (408) 414-1076

I hereby certify that this is being deposited with the U.S. Postal Service "Express Mail Post Office to Addressee" service under 37 CFR § 1.10 on the date indicated below and is addressed to:

> Commissioner for Patents Box Patent Application Washington, D.C. 20231

Typed Name: Casey Moore

Express Mail Label No.: EL652871070US

Date of Deposit: November 20, 2000

Fee Paid

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.

ADDITIONAL FEES

Fee Code

205

227

139

112

113 1,840*

215

216

217

218

228

219

220

221

138

240

241

242

243

244

122

123

126

581

246

249

Small Entity

Fee (\$)

25

130

920*

445

695

945

155

155

135

55

605

605

215

290

130

240

1,510

Large Entity

Code

105

127

139

112

113 1,8401

115

116

117

118

128

119

120

121

138

140

141

142

143

144

122

123

126

581

146

149

Other

Fee (\$)

130

50

130

920*

110

390

890

1,390

1,890

310

310

270

110

1,510

1.210

1,210

430

580

130

50

240

40

690

690

Other fee (specify)

FEE TRANSMITTAL for FY 2000

Patent fees are subject to annual revision, Small Entity payments must be supported by a small entity statement, otherwise large entity fees must be paid. See Forms PTO/SB/09-12. See 37 C.F.R. §§ 1.27 AND 1.28

Complete if Known				
Application Number	NYA			
Filing Date	November 20, 2000			
First Named Inventor	Vikram Joshi, et al.			
Examiner Name	NYA			
Group/Art Unit	NYA			
Attorney Docket No.	50277-0378			

FEE CALCULATION (continued)

65 Surcharge - late filing fee or oath

Non-English specification

cover sheet.

Examiner action

Examiner action

Notice of Appeal

Design issue fee

Plant issue fee

Request for oral hearing

Fee Description

Surcharge - late provisional filing fee or

Requesting publication of SIR prior to

Requesting publication of SIR after

Extension for reply within first month

Extension for reply within second month

Extension for reply within third month

Extension for reply within fourth month

Extension for reply within fifth month

Filing a brief in support of an appeal

Petition to revive - unavoidable

Petition to revive - unintentional

Utility issue fee (or reissue)

Petitions to the Commissioner

Petition to institute a public use proceeding

Petitions related to provisional applications

Submission of information Disclosure Stmt

Recording each patent assignment per

property (times number of properties) Filing a submission after final rejection (37 CFR § 1.129(a))

For each additional invention to be

examined (37 CFR § 1.129(b))

TOTAL AMOUNT OF PAYMENT (\$)750.00METHOD OF PAYMENT (check one) The Commissioner is hereby authorized to charge indicated 1. fees and credit any overpayments to: Deposit 150635 Deposit Oracle Corporation Charge Any Additional Fee Required Under 37 CFR §§ 1.16 and 1.17

Payment Enclosed:

Applicant claims small entity status.	See 37
CFR 1.27	

Money

IC F	LING	FEE		
ntity	Small	Entity		
ee \$)	Fee Code	Fee (\$)	Fee Description	Fee Paid
710	201	355	Litility filing foo	710.00

FEE CALCULATION

Fee Code	Fee (\$)	Fee Code	Fee (\$)	Fee Description	Fee Paid
101	710	201	355	Utility filing fee	710.00
106	320	206	160	Design filing fee	
107	490	207	245	Plant filing fee	
108	710	208	355	Reissue filing fee	
114	150	214	75	Provisional filing fee	

		SUI	BTOTAL	(1)	(\$) 71	0.00	7
2. EXTRA	CLAIN	I FEES					
		Ext	tra Claims		Fee from Below	Fee Pa	id
Total Claims	16	-20**=	0	х	18.00	= 0.00)

Independent Claims 0.00 2 Multiple Dependent **or number previously paid, if greater; For Reissues, see below Large Entity Small Entity

Fee Description	Fee (\$)	Fee Code	Fee (\$)	Fee Code
Claims in excess of 20	9	203	18	103
Independent claims in excess of	40	202	80	102
Multiple dependent claim, if not pai	135	204	270	104
**Reissue independent claims over original patent	40	209	80	109
**Reissue claims in excess of 29 and over original patent	9	210	18	110

SUBTOTAL (2)

Carina M. Tan

(\$) 0.00

Other fee (specify)	
Reduced by Basic Filing F	ee Paid

Paid	SUBTOTAL (3)	(\$) 40.00	
	Comple	te (if applicable)	
45,769	Teleph	one (408) 414-1080	

40.00

November 20, 2000

Signature WARNING:

SUBMITTED BY Name (Print/Type)

Information on this form may become public. Credit card information should not be Included on this form. Provide credit card information and authorization on PTO-2038.

Burden Hour Statement. This form is estimated to take 0.2 hours to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time you are required to complete this form should be sent to the Chief Information Officer, Patent and Trademark Office, Washington, DC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Box Patent Applicatin, Commissioner for Patents, Washington, DC 20231.

2.

1. BAS

Large Er

UNITED STATES PATENT APPLICATION

FOR

METHOD AND APPARATUS FOR DEBUGGING A SOFTWARE PROGRAM USING DYNAMIC DEBUG PATCHES AND COPY ON WRITE VIEWS

INVENTORS:

VIKRAM JOSHI ALEX TSUKERMAN SHARI YAMAGUCHI

PREPARED BY:

HICKMAN PALERMO TRUONG & BECKER, LLP 1600 WILLOW STREET SAN JOSE, CA 95125-5106 (408) 414-1080

EXPRESS MAIL CERTIFICATE OF MAILING

"Express Mail" mailing label number <u>EL652871070US</u>
Date of Deposit November 20, 2000 I hereby certify that this paper or fee is being deposited with the United States Postal Service "Express Mail Post Office to Addressee" service under 37 CFR 1.10 on the date indicated above and is addressed to the Assistant Commissioner for Patents, Washington, D.C. 20231.
Casey Moore
(Typed or printed name of person mailing paper or fee)
(Signature of person mailing paper or fee)

10

15

20

METHOD AND APPARATUS FOR DEBUGGING A SOFTWARE PROGRAM USING DYNAMIC DEBUG PATCHES AND COPY ON WRITE VIEWS

CROSS REFERENCE TO RELATED APPLICATIONS

This application is related to and claims domestic priority under 35 U.S.C. § 119(e) from prior U.S. Provisional Patent Application Serial Number 60/166,598 filed on November 19, 1999 entitled "Debugging Techniques And Fast SGA Dumps For Deferred Analysis Of The Database", by inventors Vikram Joshi, Alex Tsukerman, and Shari Yamaguchi, the entire disclosure of which is hereby incorporated by reference as if fully set forth herein.

This application is related to U.S. Patent Application Serial Number 09/649,310 filed on August 28, 2000, entitled "Method And Apparatus For Debugging A Software Program", by inventors Vikram Joshi, Alex Tsukerman, and Shari Yamaguchi, the entire disclosure of which is hereby incorporated by reference as if fully set forth herein.

This application is related to U.S. Patent Application Serial Number __/__, ___ filed on the same day herewith entitled "Fast Database State Dumps To File For Deferred Analysis Of A Database", by inventors Vikram Joshi, Alex Tsukerman, and Shari Yamaguchi (Attorney docket number 50277-379, OID 1999-173-03), the entire disclosure of which is hereby incorporated by reference as if fully set forth herein.

This application is related to U.S. Patent Application Serial Number __/__, filed on the same day herewith entitled "A Debug And Data Collection Mechanism Utilizing A Difference In Database State By Using Consecutive Snapshots Of A Database State", by inventors Vikram Joshi, Alex Tsukerman, and Shari Yamaguchi (Attorney docket number 50277-380, OID 1999-173-04), the entire disclosure of which is hereby incorporated by reference as if fully set forth herein.

25

5

FIELD OF THE INVENTION

The present invention generally relates to debugging software programs and, more specifically, to techniques for debugging database systems.

BACKGROUND OF THE INVENTION

In a database system, an area of system memory is allocated and one or more processes are started to execute one or more transactions. The database server communicates with connected user processes and performs tasks on behalf of the user. These tasks typically include the execution of transactions. The combination of the allocated system memory and the processes executing transactions is commonly termed a database "server" or "instance".

10 Like most software systems, a database server has complicated shared memory

structures. A shared memory structure contains data and control information for a portion of a database system. Because of software, hardware, or firmware bugs that may exist in a complex database system, shared memory structures may become logically incorrect. When structures become logically incorrect, the database system is likely to fail. Database failure is typically discovered in the following ways: by checking consistency of structures; by verifying certain assumptions; or by running into corrupted pointers. Attempting to process corrupted pointers will lead to a "crash," after which

A major responsibility of the database administrator is to be prepared for the 20

normal database operation is no longer possible.

possibility of hardware, software, network, process, or system failure. When shared

structures are presumed to be corrupted, the best course of action for a database

administrator is to cease further processing of the database. If a failure occurs such that

the operation of a database system is affected, the administrator must usually recover the

database and return the database to normal operations as quickly as possible. Recovery

should protect the database and associated users from unnecessary problems and avoid or

reduce the possibility of having to duplicate work manually.

10

15

20

25

Recovery operations vary depending on the type of failure that occurred, the structures affected, and the type of recovery that is performed. If no files are lost or damaged, recovery may amount to no more than rebooting the database system. On the other hand, if data has been lost, recovery requires additional steps in order to put the database back into normal working order.

Once the database is recovered or rebooted, the immediate problem is quickly resolved, but because the root cause is still undetermined and therefore unresolved, the error condition may resurface, potentially causing several additional outages. Therefore, it is still important to diagnose the state of the structures and data surrounding the database failure. Such a diagnosis may provide valuable information that can reduce the chance of failure in the future. As a practical matter, diagnosing the failure may lead to determining which vendor's hardware or software is responsible for the database failure. Such information is valuable for a vendor's peace of mind, if nothing else. Thus, competing with the goal of recovering the database as quickly as possible, is the goal of determining why the database system failed in the first place.

Unfortunately, even with traditional techniques of diagnosing a database failure, the system administrator is usually unable to obtain a sufficient amount of clues to determine why the failure happened. A deliberate and thorough diagnosis of the failure may require an unacceptable amount of database downtime. For example, any amount of downtime over 30 minutes may be extremely costly for a database that is associated with a highly active web site. Too much downtime may have unduly expensive business ramifications, such as lost revenue and damage to the reputation of the web site owner.

Another problem with traditional debugging techniques is that they can be intrusive. For example, a database system that supports the Structured Query Language (SQL) may be debugged by compiling SQL statements and running them against the database. The act of compiling and executing the SQL statements changes the state of

10

15

20

25

the database system. Thus, the mere act of diagnosing the problem can easily cloud the problem or make the problem worse because diagnosis may involve altering the state of the database. Diagnosing the problem typically involves using debugging software, which calls for peeking and poking into data structures within the complex memory structures of the database systems. Although the data structures are best left untouched upon a failure, diagnosing the failure may involve working directly on the same data structures from which data is to be obtained. Nevertheless, it is important to preserve the original data and not change the data from its state at time of failure. A customer of the database may take issue to changing the database, because such a change may jeopardize or even destabilize their database system.

Effective diagnosis, however, requires getting as much information as possible out of the data structures. It may be useful here to refer to Heisenberg's uncertainty principle, which effectively states that the closer an object is analyzed, the more the object materially changes because the mere act of analyzing is intrusive. Applying this principle to the act of diagnosing a database failure, a typical debugging operation is naturally intrusive. Thus, it is difficult to be non-intrusive on a database and at the same time obtain a sufficient amount of meaningful data for debugging.

Traditional debugging techniques involve formatting certain parts of the database system and displaying this formatted portion in a human-readable form. This human-readable form can be set aside for later analysis, for example, after the database has been recovered or is no longer down. The entire memory of the database server is not dumped because an average database server is very large, typically between about 200 megabytes and about 100 gigabytes of unformatted binary and data. On the portion of the database that is formatted, an educated guess is made of the key data structures that are potential causes of the problem.

Unfortunately, such a debugging technique provides diagnosis only to the

database server's end-memory state, which is the state after the database has been shutdown. Because the end-memory state is being analyzed separately from the database, the programmer performing the debugging does not have access to the real database and some of the database's persistent structures. Some of these persistent structures could be on disk or, in a multiple node system, on other nodes. For example, in a parallel server configuration, the persistent structures needed for debugging could reside on other servers. Thus, the technique of separately debugging portions of the database prevents the programmer from using the data that can only be obtained from the database itself.

Further, where debug operations are performed on the database while the database is down, multiple programmers cannot each privately diagnose the failure. Rather, the key data structures are typically diagnosed by having one programmer in front of a console inputting debug commands, while other programmers gather around issuing advice. Multiple programmers individually debugging the database is unadvisable using existing debugging techniques because the act of inputting debug commands is intrusive, as mentioned above. Each programmer's work would interfere with the concurrent debugging progress of fellow programmers.

For the foregoing reasons, what is needed is a method of debugging a software program, such as a database system, that is non-intrusive, yet allows for a comprehensive assessment of a failure.

20

5

10

15

SUMMARY OF THE INVENTION

Techniques are provided for allowing multiple persons to concurrently test software patches on a software program or debug a problem of the software program. Each person preferably has their own private view, which consists of (1) copied portions of the software program that reflect modifications made by that person, and (2) the portions of the preserved software program that the person has not modified. Providing a private view to each person allows each person to test and debug privately, independently, and concurrently with others. Each private view may be extensively explored and modified without affecting the memory state of the software program that existed at the time the software program was shutdown.

Accordingly, at any time, each private view may be refreshed to the state of the software program that existed at the time of shutdown. Faster diagnosis of the problem may therefore be accomplished because a debugger does not have to peek cautiously and slowly into the inner-workings of the software program. Similarly, the testing of various potential solutions to bugs in the program may be accomplished efficiently without affecting the memory state of the software program that existed at the time the software program was shutdown. Thus, where downtime of a software program must be kept to a minimum, the present techniques allow for performing quick and comprehensive diagnostics and testing of potential solutions to problems in the software program.

20

5

10

15

10

BRIEF DESCRIPTION OF THE DRAWINGS

The present invention is illustrated by way of example, and not by way of limitation, in the figures of the accompanying drawings and in which like reference numerals refer to similar elements and in which:

- FIG. 1 illustrates how data is copied to preserve the memory state of a software program before being modified in response to a technique for debugging and testing of potential solutions for a software program;
 - FIG. 2 is a flowchart of a technique that allows for non-intrusive debugging and testing of potential solutions for a software program; and
 - FIG. 3 is a block diagram that illustrates a computer system upon which an embodiment of the invention may be implemented.

DETAILED DESCRIPTION OF THE PREFERRED EMBODIMENT

Techniques for non-intrusive testing of potential solutions for and debugging of a software program are described. In the following description, for the purposes of explanation, numerous specific details are set forth in order to provide a thorough understanding of the present invention. It will be apparent, however, to one skilled in the art that the present invention may be practiced without these specific details. In other instances, well-known structures and devices are shown in block diagram form in order to avoid unnecessarily obscuring the present invention.

TESTING AND DIAGNOSTIC TECHNIQUE

10

5

A database administrator may cause a database system to cease execution for a number of reasons, which are discussed above. Diagnosing a database will typically lead to modifying data in the database while it is down. As explained above, it is desirable to preserve the memory state that existed at the time of failure or at the time the database was shutdown.

15

20

25

FIG. 1 illustrates how, using the techniques described herein, data is copied to preserve the memory state of a software program before being modified. For the purpose of explanation, it will be assumed that the software program is a database server. However, the present techniques are not limited to any particular type of program. A database administrator, for example, "freezes" a portion of a database to preserve the memory state of the database system. Preserving the database may include suspending a failed process within the database system. Various techniques may be used to freeze the state of a database server. One such technique is described in U.S. Patent Application No. 09/223,660 entitled "METHOD AND SYSTEM FOR DIAGNOSTIC PRESERVATION OF THE STATE OF A COMPUTER SYSTEM" filed by Wei Hu and Juan Loaiza on December 30, 1998, the contents of which is incorporated herein by reference.

The act of preserving the database may be initiated by giving the software

10

15

20

25

program an explicit "freeze" user command. Alternatively, the act of preserving the database may be initiated in response to an automatic trigger that fires when an error event is detected. The techniques described hereafter indicate how debugging and testing may be performed, even by multiple users concurrently, without changing any data in the preserved portion 102. Any operation that could cause any change within the preserved portion is disabled with respect to the preserved portion 102.

In one embodiment, the software program is a database server that is composed of a memory portion referred to as a "database instance", and a set of data on disk referred to as "datafiles". In addition, one database server may be shared in a hardware cluster with additional database instances residing on different nodes, but still sharing access to the same set of datafiles. Preferably, the database administrator will be able to issue a command to preserve only the database instance that has failed, thereby detaching the preserved database instance from the cluster membership. In such a situation, it is important to exercise care while using the preserved database instance in this state, and to not affect the integrity of the datafiles or other database instances. Preferably, a database administrator only uses such a detached preserved database instance for debugging and testing operations. Detaching a database instance from a cluster involves isolating the instance from the rest of the cluster using software and/or hardware means.

SECONDARY SOFTWARE PROGRAMS

While the software program is preserved, debugging and or testing operations may begin. Debugging or testing may involve a second software program. The second software program may be a software patch that fixes a bug in the software program. Techniques are provided to allow for testing of the software patch without compromising the memory state of the original software program. Alternatively, the second software program may be a diagnostic tool for debugging the software program. Any such second

10

15

20

25

software program is herein generally referred to as a "secondary" software program. FIG. 1 shows the preserved portion 102 having segments of data. These segments of data are typically pages of memory. Assume that a user has written a secondary software program that is either a diagnostic tool or a potential patch the software program. The user may then compile and dynamically link the secondary software program to the original software program. Many operating systems provide for the compilation and dynamically linkage of separate software programs.

Assume that when the user executes the secondary software program, segments of the preserved portion 102 are accessed. For example, execution of the secondary results in a read operation that accesses data 104. The execution of the second software program may also call for a write operation to be performed on some data within the preserved portion 102. The data within the reserved portion that is targeted by the write operation is referred to herein as targeted data 106a. In response to an attempt to perform a write operation on data within the targeted data 106a, a copy is made of the targeted data 106a. The actual modification that would have been made to the targeted data 106a is instead made to the copy, creating a modified copy 106b. In one embodiment, the modified copy 106b is a copy-on-write page of memory.

In subsequent operations, relative to the execution of the software program, the modified copy 106b takes the place of the targeted data 106a. Thus, if the execution of the secondary software program involves a subsequent read operation of targeted data 106a, the read operation would be performed on the modified copy 106b. Similarly, if the execution of the secondary software program would involve further modification to the targeted data 106a, the modification would once again be performed on the modified copy 106b.

For simplification purposes, FIG. 1 shows a scenario in which the target portion 206a includes only one segment. Therefore, a modified copy 106b has been made of

10

15

20

25

only one target portion 106a. However, the execution of the secondary software program may actually involve modifications to many areas of a software program, and therefore cause the generation of modified copies of a multitude of segments.

In one embodiment, the memory segments of the preserved portion 102 are pages in memory. Preferably, a page map is used to keep track of all the pages of the modified copies for each user. For example, the modified copy 106b may be a copy-on-write page, the address of which is kept in a page map. Using this copying technique, the original preserved portion 102 of the software program is unaltered. The page mapping software and/or hardware ensures that, for the user that caused creation of the modified page, the modified page is mapped at the same virtual address as the original page, thus preserving the integrity of data structure references, indices, and pointers. The modified page is a modified copy of the original page, and the user that caused the creation of the modified page has a private view of the modified page. Such modified pages are herein referred to as "view private" modified pages.

The modified copies for a user may be discarded at anytime. Thus, a fresh testing and debug session may be initiated at any time using the preserved portion 102 and the aforementioned copying technique.

MAINTAINING PER-USER MODIFICATION DATA

According to one embodiment, a separate set of modified copies are maintained for each user, based on the modifications made by that user. Specifically, each user sees (1) the modified copies that have been generated in response to the execution of secondary software programs executed by that user, and (2) the preserved portions of the software program that have not been modified in response to the execution of secondary software programs initiated by that user. The modified copies may be managed in a view private fashion using any one of a number of techniques, including page mapping software and hardware techniques.

10

15

20

25

Consequently, multiple programmers may debug and test potential solutions to problems in the software program concurrently, independently, and privately. The debug and testing progress of one programmer will not affect the debug and testing progress of another programmer. Accordingly, any number of debug and testing sessions may be generated and later destroyed. Such multiple-session debugging and testing should lead to a relatively quick and comprehensive assessment of the failure and testing of various potential solutions to the failure. For example, in FIG. 1, in response to compiling, dynamically linking and executing software program 1, which is a secondary software program, a user 1 modifies 106a and 106b is created. In response to compiling, dynamically linking and executing software program 2, which is another secondary software program that is distinct from software program 1, a user 2 modifies 106a and 106c is created. User 1 is unable to see the changes in 106c, and user 2 is unable to see the changes in 106b.

SHARING SECONDARY PROGRAMS

In addition, if user 1 wishes to share software program 1, user 1 may provide access to software program 1 by publishing a symbolic name associated with software program 1 in slot 108 of FIG. 1. Multiple users may concurrently, independently, and privately execute software program 1 by using the corresponding symbolic name that is published in the preserved portion of the software program. For example, in response to user 3 concurrently, independently, and privately executing software program 1, 106d in FIG. 1 is created. Because modified copies may be managed in a view private fashion, user 3 is unable to see the changes in either 106b or 106c.

MULTIPLE SECONDARY PROGRAMS IN A SINGLE SESSION

One debug and testing session can be used to execute various secondary software programs that are separate from the original software program, which is being debugged.

10

15

20

25

The programmer of a particular debug and testing session has a private view of the original software program, which is being debugged, in a privately modified state. This privately modified state is a side-effect of the aforementioned copying technique. In the case of a secondary software program that is a diagnostic tool, extensive exploration of the privately viewed data has the benefit of extracting valuable state that may point to the problem. In other words, the privately viewed data may be extensively explored and modified without fear of altering the preserved portion 102, which represents the original data. In the case of a secondary software program that is a potential solution to a problem in the original software program, testing of the potential solution may be safely performed before publishing and or permanently adopting the potential solution.

Where the software program is a database system, the debugging and testing may be performed, at least in part, by executing various secondary software programs that have been separately compiled and dynamically linked to the software program that is being debugged. The secondary software programs are executed using existing shared database state (*i.e.*, the preserved portion 102) and the aforementioned copy-on-write technique. Additionally, the secondary software programs may be shared with multiple concurrent users by publishing, in the preserved portion, a corresponding symbolic name associated with the secondary software program.

FIG. 1 is an illustration of the privately viewed data of a debug and testing session at a particular point in time. Thus, at a particular point in time, a programmer, such as user 1, sees the preserved portion 102, minus the targeted data 106a, plus the modified copy 106b.

PRESERVING PERSISTENT DATA

In another embodiment, the software program is a database system that has persistent structures, such as persistent database tables. Persistent structures could be on disk or, in a multiple node system, reside in database instances on other nodes. For

10

15

example, in a parallel server configuration, the persistent structures needed for debugging could reside on other servers. The execution of a secondary software program may call for accessing data, such as a persistent structure, that is outside the current database instance being debugged. For such data that resides outside the database instance being debugged, it is preferable to mount the data in a read-only mode into the database prior to performing debug and testing operations. Such a mounting step facilitates reads from outside data, such as persistent database tables. Debug and testing operations cannot write to the read-only data, and therefore will not make changes to the original persistent structures. Further, when any operation attempts to write to the read-only data, the debug and testing system preferably produces a logical error message, which the debug and testing system makes known to the user.

After copying outside data into the database in a read-only mode, outside data may be treated as part of the preserved portion 102. That is, a user is allowed to perform operations that modify the data, but those operations cause the creation of separate modified copies, and leave the original data intact. Thus, an embodiment of the present invention is applicable to debugging a database and testing of potential solutions to problems in the database where execution of secondary software programs call for accessing data that is outside the current database instance.

THE DEBUGGING OPERATION

FIG. 2 is a flowchart of a debug and testing technique that allows for non-intrusive debugging of a software program as well as testing potential solutions to problems in the software program. At block 202, a memory state of a preserved portion of the software program is preserved. As mentioned in the discussion with reference to FIG. 1, preserving the memory state may include suspending an application that has failed. At block 204, a secondary software program is compiled and dynamically linked to the original software program. At block 206, the secondary software program is

10

15

20

executed causing the creation of a copy of targeted data 106a, if the execution of the secondary software program would normally cause modification to targeted data 106a in the portion of the software program that is being preserved.

HARDWARE OVERVIEW

FIG. 3 is a block diagram that illustrates a computer system 300 upon which an embodiment of the invention may be implemented. Computer system 300 includes a bus 302 or other communication mechanism for communicating information, and a processor 304 coupled with bus 302 for processing information. Computer system 300 also includes a main memory 306, such as a random access memory (RAM) or other dynamic storage device, coupled to bus 302 for storing information and instructions to be executed by processor 304. Main memory 306 also may be used for storing temporary variables or other intermediate information during execution of instructions to be executed by processor 304. Computer system 300 further includes a read only memory (ROM) 308 or other static storage device coupled to bus 302 for storing static information and instructions for processor 304. A storage device 310, such as a magnetic disk or optical disk, is provided and coupled to bus 302 for storing information and instructions.

Computer system 300 may be coupled via bus 302 to a display 312, such as a cathode ray tube (CRT), for displaying information to a computer user. An input device 314, including alphanumeric and other keys, is coupled to bus 302 for communicating information and command selections to processor 304. Another type of user input device is cursor control 316, such as a mouse, a trackball, or cursor direction keys for communicating direction information and command selections to processor 304 and for controlling cursor movement on display 312. This input device typically has two degrees of freedom in two

10

15

20

axes, a first axis (e.g., x) and a second axis (e.g., y), that allows the device to specify positions in a plane.

The invention is related to the use of computer system 300 for implementing the techniques described herein. According to one embodiment of the invention, those techniques are implemented by computer system 300 in response to processor 304 executing one or more sequences of one or more instructions contained in main memory 306. Such instructions may be read into main memory 306 from another computer-readable medium, such as storage device 310. Execution of the sequences of instructions contained in main memory 306 causes processor 304 to perform the process steps described herein. In alternative embodiments, hard-wired circuitry may be used in place of or in combination with software instructions to implement the invention. Thus, embodiments of the invention are not limited to any specific combination of hardware circuitry and software.

The term "computer-readable medium" as used herein refers to any medium that participates in providing instructions to processor 304 for execution. Such a medium may take many forms, including but not limited to, non-volatile media, volatile media, and transmission media. Non-volatile media includes, for example, optical or magnetic disks, such as storage device 310. Volatile media includes dynamic memory, such as main memory 306. Transmission media includes coaxial cables, copper wire and fiber optics, including the wires that comprise bus 302. Transmission media can also take the form of acoustic or light waves, such as those generated during radio-wave and infra-red data communications.

Common forms of computer-readable media include, for example, a floppy disk, a flexible disk, hard disk, magnetic tape, or any other magnetic medium, a CD-ROM, any other optical medium, punchcards, papertape, any other physical medium with patterns of holes, a

10

15

20

RAM, a PROM, and EPROM, a FLASH-EPROM, any other memory chip or cartridge, a carrier wave as described hereinafter, or any other medium from which a computer can read.

Various forms of computer readable media may be involved in carrying one or more sequences of one or more instructions to processor 304 for execution. For example, the instructions may initially be carried on a magnetic disk of a remote computer. The remote computer can load the instructions into its dynamic memory and send the instructions over a telephone line using a modem. A modem local to computer system 300 can receive the data on the telephone line and use an infra-red transmitter to convert the data to an infra-red signal. An infra-red detector can receive the data carried in the infra-red signal and appropriate circuitry can place the data on bus 302. Bus 302 carries the data to main memory 306, from which processor 304 retrieves and executes the instructions. The instructions received by main memory 306 may optionally be stored on storage device 310 either before or after execution by processor 304.

Computer system 300 also includes a communication interface 318 coupled to bus 302. Communication interface 318 provides a two-way data communication coupling to a network link 320 that is connected to a local network 322. For example, communication interface 318 may be an integrated services digital network (ISDN) card or a modem to provide a data communication connection to a corresponding type of telephone line. As another example, communication interface 318 may be a local area network (LAN) card to provide a data communication connection to a compatible LAN. Wireless links may also be implemented. In any such implementation, communication interface 318 sends and receives electrical, electromagnetic or optical signals that carry digital data streams representing various types of information.

10

15

20

Network link 320 typically provides data communication through one or more networks to other data devices. For example, network link 320 may provide a connection through local network 322 to a host computer 324 or to data equipment operated by an Internet Service Provider (ISP) 326. ISP 326 in turn provides data communication services through the world wide packet data communication network now commonly referred to as the "Internet" 328. Local network 322 and Internet 328 both use electrical, electromagnetic or optical signals that carry digital data streams. The signals through the various networks and the signals on network link 320 and through communication interface 318, which carry the digital data to and from computer system 300, are exemplary forms of carrier waves transporting the information.

Computer system 300 can send messages and receive data, including program code, through the network(s), network link 320 and communication interface 318. In the Internet example, a server 330 might transmit a requested code for an application program through Internet 328, ISP 326, local network 322 and communication interface 318. In accordance with the invention, one such downloaded application implements the techniques described herein.

The received code may be executed by processor 304 as it is received, and/or stored in storage device 310, or other non-volatile storage for later execution. In this manner, computer system 300 may obtain application code in the form of a carrier wave.

CONCLUSION

Techniques are described above for debugging a software program and for testing potential solutions to problems in the software program. In a preferred embodiment, the software program is preserved before debug and testing operations are performed on the software program. A secondary software program, which may either be a diagnostic tool

10

15

or a potential solution to problems in the software program, is compiled and dynamically linked to the software program. A copy-on-write step is performed on accessed data that is to be modified as a result of executing the secondary software program. During the debug and testing process, modifications are made to the copied data of the software program, and not to the preserved portion 102. The secondary software program may be shared with other concurrent users of the software program by publishing, in the preserved portion 102, a corresponding symbolic name associated with the secondary software program. While the above description provides a database system as an example of a software program, the present invention generally applies to all software programs.

In the foregoing specification, the invention has been described with reference to specific embodiments thereof. It will, however, be evident that various modifications and changes may be made thereto without departing from the broader spirit and scope of the invention. The specification and drawings are, accordingly, to be regarded in an illustrative rather than a restrictive sense.

CLAIMS

What is claimed is:

1	1.	A method of debugging a first software program, the method comprising the steps of
2		preserving a memory state of a preserved portion of the first software program;
3		dynamically linking a second software program to the first software program without
4		deallocating from volatile memory the first software program;
5		executing the second software program; and
6		when execution of the second software program would otherwise cause modification
7		to targeted data that is in the preserved portion of the first software program,
8		making a copy of the targeted and modifying the copy to generate a modified
9		copy of the targeted data without modifying the targeted data that is in the
10		preserved portion of the first software program.
1	2.	The method of Claim 1, further comprising the steps of:
2		publishing in the preserved portion of the first software program a corresponding
3		symbolic name associated with the second software program; and
4		multiple users accessing the second software program is accessed through the
5		corresponding symbolic name.

- 1 3. The method of Claim 1, wherein the first software program is a database system.
- 1 4. The method of Claim 1, wherein the step of preserving a memory state further

2		includes the step of suspending a failed application of the database system.
1	5.	The method of Claim 1, further including the step of, in response to a subsequent
2		attempt to access the targeted data in the preserved portion of the first software
3		program, accessing the modified copy of the targeted data.
1	6.	The method of Claim 5, wherein the steps of dynamically linking and executing
2		are initiated by a particular user, and wherein the step of accessing the modified
3		copy occurs only if that particular user initiates the subsequent attempt to access
4		the targeted data.
1	7.	The method of Claim 1, wherein:
2		the steps of dynamically linking and executing the second software program are
3		performed by a first user;
4		the modified copy is a first modified copy of the targeted data; and
5		the method further comprises the steps of:
6		after the first modified copy has been created for the first user, a second user
7		executing performing an operation which, when executed, would cause
8		modification to the targeted data in the preserved portion; and
9		performing the operation by making a second copy of the targeted data and
10		modifying the second copy to generate a second modified copy of the
11		targeted data, the second modified copy being separate from the first
12		modified copy and from the preserved portion.

1	8.	The method of Claim 7, further comprising the steps of:
2		after the first and second modified copies have been created for the first user and
3		second user respectively, a third user dynamically linking and executing a
4		third software program which, when executed, would cause modification to
5		the targeted data in the preserved portion; and
6		making a third copy of the targeted data and modifying the third copy to generate a
7		third modified copy, the third modified copy being separate from the first
8		modified copy, from the second modified copy, and from the preserved
9		portion.
1	9.	A computer-readable medium bearing instructions for debugging a first software
2		program, the instructions arranged, when executed by one or more processors, to
3		cause the one or more processors to perform the steps of:
4		preserving a memory state of a preserved portion of the first software program;
5		dynamically linking a second software program to the first software program without
6		deallocating from volatile memory the first software program;
7		executing the second software program; and
8		when execution of the second software program would otherwise cause modification
9		to targeted data that is in the preserved portion of the first software program,

making a copy of the targeted and modifying the copy to generate a modified

11		copy of the targeted data without modifying the targeted data that is in the
12		preserved portion of the first software program.
1	10.	The computer-readable medium of Claim 9, further comprising the steps of:
2		publishing in the preserved portion of the first software program a corresponding
3		symbolic name associated with the second software program; and
4		multiple users accessing the second software program is accessed through the
5		corresponding symbolic name.
1	11.	The computer-readable medium of Claim 9, wherein the first software program is a
2		database system.
1	12.	The computer-readable medium of Claim 9, wherein the step of preserving a
2		memory state further includes the step of suspending a failed application of the
3		database system.
1	13.	The computer-readable medium of Claim 9, further including the step of, in
2		response to a subsequent attempt to access the targeted data in the preserved
3		portion of the first software program, accessing the modified copy of the targeted
4		data.

The computer-readable medium of Claim 13, wherein the steps of dynamically

1

14.

2		linking and executing are initiated by a particular user, and wherein the step of
3		accessing the modified copy occurs only if that particular user initiates the
4		subsequent attempt to access the targeted data.
1	15.	The computer-readable medium of Claim 9, wherein:
2		the steps of dynamically linking and executing the second software program are
3		performed by a first user;
4		the modified copy is a first modified copy of the targeted data; and
5		the method further comprises the steps of:
6		after the first modified copy has been created for the first user, a second user
7		executing performing an operation which, when executed, would cause
8		modification to the targeted data in the preserved portion; and
9		performing the operation by making a second copy of the targeted data and
10		modifying the second copy to generate a second modified copy of the
11		targeted data, the second modified copy being separate from the first
12		modified copy and from the preserved portion.
1	16.	The computer-readable medium of Claim 15, further comprising the steps of:
2		after the first and second modified copies have been created for the first user and
3		second user respectively, a third user dynamically linking and executing a
4		third software program which, when executed, would cause modification to
5		the targeted data in the preserved portion; and

6	making a third copy of the targeted data and modifying the third copy to generate a
7	third modified copy, the third modified copy being separate from the first
8	modified copy, from the second modified copy, and from the preserved
9	portion.

ABSTRACT OF THE DISCLOSURE

A method and apparatus for debugging a software program is provided that is non-intrusive and allows multiple persons to debug concurrently in view private sessions. In one example, a method includes preserving a memory state of a portion of a software program, such as a database system. A second software program is compiled and dynamically linked, and which when executed, would normally cause modification to targeted data in the preserved portion of the software program. The second software program is executed by making a copy of the targeted data in the preserved portion of the software program. The copy is modified to generate a modified copy of the targeted data without modifying the data that is in the preserved portion of the software program. In subsequent accesses, the user that issued that executed the second software program accesses the modified copy whenever the user would have otherwise accessed the corresponding preserved portion. The second software program is made accessible to other users of the database system by publishing in the preserved portion a corresponding symbolic name associated with the second software program. If another user accesses the second software program and executes it, then another copy of the targeted data is made for that user. As before the copy is modified to generate a modified copy of the targeted data without modifying the data that is in the preserved portion of the software program.




FIG. 1





FIG. 3



Attorney's Docket No.: 50277-0378 Patent

DECLARATION FOR PATENT APPLICATION

As a below named inventor, I hereby declare that:

My residence, post office address and citizenship are as stated below, next to my name.

I believe I am an original, first, and joint inventor of the subject matter which is claimed and for which a patent is sought on the invention entitled

"METHOD AND APPARATUS FOR DEBUGGING A SOFTWARE PROGRAM USING DYNAMIC DEBUG PATCHES AND COPY ON WRITE VIEWS"

	7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7			
he specification of which	ı			
	is attached hereto. was filed on			as
		ation Number		9
		Application Number		
	and was amended or	1		·
		(if applicable)		
hereby state that I have ncluding the claims(s), a	e reviewed and unders as amended by any a	stand the contents of the above- mendment referred to above.	-identified s	pecification,
acknowledge the duty t Fitle 37, Code of Federa	o disclose all informa I Regulations, Sectior	tion known to me to be material n 1.56 (copy attached).	to patentab	oility as defined i
oreign application(s) for	patent or inventor's of atent or inventor's cer	Fitle 35, United States Code, Secertificate listed below and have tificate having a filing date befor	also identif	ied below any
Prior Foreign Application	n <u>(s)</u>		Claimed	
(Number)	(Country)	(Day/Month/Year Filed)	Yes	No
(Number)	(Country)	(Day/Month/Year Filed)	Yes	No
(Number)	(Country)	(Day/Month/Year Filed)	Yes	No
I hereby claim the bene provisional application(s	fit under Title 35, Unit s) listed below	ed States Code, Section 119(e)	of any Unit	ed States
(Application Number)		Filing Date)		
(Application Numbe	r)	(Filing Date)		

Post Office Address _

I hereby claim benefit under Title 35, United States Code, Section 120 of any United States application(s) listed below and, insofar as the subject matter of each of the claims of this application is not disclosed in the prior United States application in the manner provided by the first paragraph of Title 35, United States Code, Section 112, I acknowledge the duty to disclose all information known to me to be material to patentability as defined in Title 37, Code of Federal Regulations, Section 1.56 (copy attached) which became available between the filing date of the prior application and the national or PCT International filing date of this application:

	(E:::	(0)		
(Application Number)	(Filing Date)	(Status - pa	atentea, penair	g, abandoned)
(Application Number)	(Filing Date)	(Status - pa	atented, pendir	ng, abandoned)
(Application Number)	(Filing Date)	(Status - pa	atented, pendir	ng, abandoned)
I hereby declare that all statement on information and belief are belie knowledge that willful false statem under Section 1001 of Title 18 of t jeopardize the validity of the applie	eved to be true; and further nents and the like so made the United States Code an	that these state are punishable d that such willfo	ements were m by fine or impr	ade with the isonment, or both,
Full Name of Sole/First Inventor (g	given name, family name)	VIKRAM JOS	SHI	
Inventor's Signature	Kram Joshi	Date	11/16	100
Residence 18552 Favre Ridge F (City, State)				
Post Office Address		1.00		
Full Name of Second Inventor (given the second I	ven name, family name)	ALEX TSUKER	MAN	
Inventor's Signature	huy	Date _	11/16/0	>
Residence 30 Port Royal, Foste (City, State)	r City, California 94404		Citizenship _	USA (Country)
Post Office Address				
Full Name of Third Inventor (giver	n name, family name)	SHARI YAMAG	UCHI	
Inventor's Signature	ym	Date _	nlictoo	
Residence 4951 Formby Ct., S (City, State)	/ an Jose, California 95138		Citizenship _	(Country)

Title 37, Code of Federal Regulations, Section 1.56 Duty to Disclose Information Material to Patentability

- (a) A patent by its very nature is affected with a public interest. The public interest is best served. and the most effective patent examination occurs when, at the time an application is being examined, the Office is aware of and evaluates the teachings of all information material to patentability. Each individual associated with the filing and prosecution of a patent application has a duty of candor and good faith in dealing with the Office, which includes a duty to disclose to the Office all information known to that individual to be material to patentability as defined in this section. The duty to disclose information exists with respect to each pending claim until the claim is canceled or withdrawn from consideration, or the application becomes abandoned. Information material to the patentability of a claim that is canceled or withdrawn from consideration need not be submitted if the information is not material to the patentability of any claim remaining under consideration in the application. There is no duty to submit information which is not material to the patentability of any existing claim. The duty to disclose all information known to be material to patentability is deemed to be satisfied if all information known to be material to patentability of any claim issued in a patent was cited by the Office or submitted to the Office in the manner prescribed by § 1.97(b)-(d) and 1.98. However, no patent will be granted on an application in connection with which fraud on the Office was practiced or attempted or the duty of disclosure was violated through bad faith or intentional misconduct. The Office encourages applicants to carefully examine:
 - (1) Prior art cited in search reports of a foreign patent office in a counterpart application, and
- (2) The closest information over which individuals associated with the filing or prosecution of a patent application believe any pending claim patentably defines, to make sure that any material information contained therein is disclosed to the Office.
- (b) Under this section, information is material to patentability when it is not cumulative to information already of record or being made of record in the application, and
- (1) It establishes, by itself or in combination with other information, a prima facie case of unpatentability of a claim; or
 - (2) It refutes, or is inconsistent with, a position the applicant takes in:
 - (i) Opposing an argument of unpatentability relied on by the Office, or
 - (ii) Asserting an argument of patentability.

A prima facie case of unpatentability is established when the information compels a conclusion that a claim is unpatentable under the preponderance of evidence, burden-of-proof standard, giving each term in the claim its broadest reasonable construction consistent with the specification, and before any consideration is given to evidence which may be submitted in an attempt to establish a contrary conclusion of patentability.

- (c) Individuals associated with the filing or prosecution of a patent application within the meaning of this section are:
 - (1) Each inventor named in the application;
 - (2) Each attorney or agent who prepares or prosecutes the application; and
- (3) Every other person who is substantively involved in the preparation or prosecution of the application and who is associated with the inventor, with the assignee or with anyone to whom there is an obligation to assign the application.
- (d) Individuals other than the attorney, agent or inventor may comply with this section by disclosing information to the attorney, agent, or inventor.

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re application of:

Group Art Unit No.: NYA

Vikram Joshi, et al.

Examiner: Not Yet Assigned

Serial No.: NYA

Filed on: Concurrently herewith

For: METHOD AND APPARATUS FOR DEBUGGING A

SOFTWARE PROGRAM USING DYNAMIC DEBUG

PATCHES AND COPY ON WRITE VIEWS

POWER OF ATTORNEY AND REVOCATION OF PREVIOUS POWERS

Commissioner for Patents Washington, D.C. 20231

Sir:

Oracle Corporation, a Delaware corporation having a place of business at 500 Oracle Parkway, Box 5OP7, Redwood Shores, California 94065, certifies that to the best of its knowledge and belief it is the assignee or is entitled to ownership of the entire right, title, and interest in and to the above-referenced patent application by virtue of an Assignment filed concurrently herewith and represents that the undersigned is a representative authorized and empowered to sign on behalf of Oracle Corporation, which hereby revokes all powers of attorney previously given and appoints the following attorney(s) and/or agent(s): Edward A. Becker, Reg. No. 37,777; Marcel K. Bingham, Reg. No. 42,327; Carl L. Brandt, Reg. No. 44,555; Brian D. Hickman, Reg. No. 35,894; Craig G. Holmes, Reg. No. 44,770; Christopher J. Palermo, Reg. No. 42,056; Carina M. Tan, Reg. No. 45,769; and Bobby K. Truong, Reg. No. 37,499 all of

HICKMAN PALERMO TRUONG & BECKER LLP 1600 Willow Street San Jose, California 95125-5106

and

Sanjay Prasad, Reg. No. 36,247; and Roger Kennedy, Reg. No. 44,823, of ORACLE CORPORATION

with full power of substitution and revocation, to prosecute this application and to transact all business in the Patent and Trademark Office connected therewith. Send all future correspondence to

the	attention	of Brian	D.	Hickman,	Reg.	No.	35,894,	care	of the	above	address	and	direct	all
tele	phone call	ls to the sa	me	at (408) 41	4-108	30.								

	Assignee of interest:
	Oracle Corporation
Dated: 11/14/00	By: Salay Prasad Title: Welf latert Coursel
	Address of Assignee of Interest:
	Oracle Corporation
	500 Oracle Parkway - Box 659507
	Redwood Shores, CA 94065
	Respectfully submitted,
	HICKMAN PALERMO TRUONG & BECKER LLI
Dated: 11/20/00	Ву:
	Name: Brian D. Hickman
	Reg. No.: 35,894

1600 Willow Street San Jose, California 95125-5106 Telephone: (408) 414-1080 Facsimile: (408) 414-1076